SEQUENCE LISTING

<110> Universtiy of Utah Research Foundation
Bessereau, Jean-Louis
Jorgensen, Erik

<120> Method of Transposon-Mediated Mutagenesis in the Nematode Caenorhabditis Elegans

<130> 0274-6277.1US

<140> US 09/980,644
<141> 2001-11-01

<150> PCT/US00/40091
<151> 2000-06-01

<150> US 60/136,972
<151> 1999-06-01

<160> 43

<170> PatentIn version 3.2

<210> 1
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Primer oJL102

<400> 1
caaccttgac tgtcgaacca ccatag 26

<210> 2
<211> 23
<212> DNA
<213> Artificial

<220>
<223> Primer oJL104

<400> 2
acaaagagcg aacgcagacg agt 23

<210> 3
<211> 25
<212> DNA
<213> Artificial

<220>
<223> Primer oJL103

<400> 3
tctgcgagtt gtttttgcgt ttgag 25

<210> 4
<211> 18
<212> DNA
<213> Artificial

<220>
<223> Primer oJL88

<400> 4
cgcatgcggc ttactcac 18

<210> 5
<211> 22
<212> DNA
<213> Artificial

<220>
<223> Primer oJL89

<400> 5
ggccccatcc gattaccacc ta 22

<210> 6
<211> 21
<212> DNA
<213> Artificial

<220>
<223> Primer oJL19

<400> 6
gcgaaacgca taccaactgt a 21

<210> 7
<211> 21
<212> DNA
<213> Artificial

<220>
<223> Primer oJL20

<400> 7
ttcatgccga aaagcaggcg t 21

<210> 8
<211> 21
<212> DNA
<213> Artificial

<220>
<223> Primer oJL132

<400> 8
atatgcggtg cgatgggtga g 21

<210> 9
<211> 22
<212> DNA
<213> Artificial

<220>
<223> Primer oJL133

<400> 9
ggcgaacgcg atgagaagaa ag 22

<210> 10
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Primer oJL114

<400> 10
aaagattcag aaggtcggta gatggg 26

<210> 11
<211> 22
<212> DNA
<213> Artificial

<220>
<223> Primer oJL115

<400> 11
gctcaattcg cgccaaacta tg 22

<210> 12
<211> 24
<212> DNA
<213> Artificial

<220>
<223> Primer oJL116

<400> 12
gaacgagaga ggcagatgga gagg 24

<210> 13
<211> 21
<212> DNA
<213> Artificial

<220>
<223> Primer oJL129

<400> 13

ccaaatgcgt ctgtcccact c 21

<210> 14
<211> 24
<212> DNA
<213> Artificial

<220>
<223> Primer oJL149

<400> 14
aagtatggcc aaacgacccg acac 24

<210> 15
<211> 23
<212> DNA
<213> Artificial

<220>
<223> primer oJL150

<400> 15
gcattggcac ctttctccct tct 23

<210> 16
<211> 21
<212> DNA
<213> Artificial

<220>
<223> primer oJL145

<400> 16
acaggcagca ttttgtagtc t 21

<210> 17
<211> 24
<212> DNA
<213> Artificial

<220>
<223> primer oJL148

<400> 17
aggctgcctc gtaagttcct acag 24

<210> 18
<211> 51
<212> DNA
<213> Artificial

<220>
<223> artificial intron

<400> 18
gtaagtttaa acatatatac taactaaccc atggattatt taaattttca g 51

<210> 19
<211> 26
<212> DNA
<213> Artificial

<220>
<223> primer oJL21

<400> 19
cgaagcttgc tggacggaaa tagtgg 26

<210> 20
<211> 26
<212> DNA
<213> Artificial

<220>
<223> primer oJL22

<400> 20
cgacgcgttc ttgaagttta gagaat 26

<210> 21
<211> 34
<212> DNA
<213> Artificial

<220>
<223> primer oJL77

<400> 21
gcacgcgtta tgtcgagttt cgtgccgaat aaag 34

<210> 22
<211> 49
<212> DNA
<213> Artificial

<220>
<223> primer oJL78

<400> 22
gcgctagcta ttcaaagtat ttgccgtcgc tcgcgacaca tttttccca 49

<210> 23
<211> 347
<212> DNA
<213> Artificial

<220>
<223> inverse PCR product

<400> 23
cagtcaaggt tgacacttac aaggtcaaag ttttatgaca atcgataaat atttacgttt 60

gcgagacatc tatatgttcg aaccgacatt ccctacttgt acacctggta aatgaaagct 120

ggtgacgtgg agattacgtc cccgtaaaaa ttattgcgaa atatgcaacg gtggccgaga 180

aaatccgcga ccccgtcgac ccagacacgg ttgattctcc agtgacggtc gatcaacaaa 240

aaagatccat ttttcatctc cagtaacgat acgatgcaaa aacgacttcc ttttgtatcg 300

tgaaagcaaa atttcgcatg tgtttttgcg cctctccatc tgcctct 347

<210> 24
<211> 1058
<212> DNA
<213> Drosophila mauritiana

<400> 24
gcagtcaaca tgtcgagttt cgtgccgaat aaagagcaaa cgcggacagt attaattttc 60

tgttttcatt tgaagaaaac agctgcggaa tcgcaccgaa tgcttgttga agcctttggc 120

gaacaagtac caactgtgaa aacgtgtgaa cggtggtttc aacgcttcaa aagtggtgat 180

tttgacgtcg acgacaaaga gcacggaaaa ccgccaaaaa ggtacgaaga cgccgaactg 240

caagcattat tggatgaaga cgatgctcaa acgcaaaaac aactcgcaga gcagttggaa 300

gtaagtcaac aagcagtttc caatcgcttg cgagagatgg gaaagattca gaaggtcggt 360

agatgggtgc cacatgagtt gaacgagagg cagatggaga ggcgcaaaaa cacatgcgaa 420

attttgcttt cacgatacaa aaggaagtcg tttttgcatc gtatcgttac tggagatgaa 480

aaatggatct tttttgttaa tcctaaacgt aaaaagtcat acgttgatcc tggacaaccg 540

gccacatcga ctgctcgacc gaatcgcttt ggcaagaaga cgatgctctg tgtttggtgg 600

gatcagagcg gtgtcattta ctatgagctc ttgaaacccg gcgaaacggt gaatacggca 660

cgctaccaac aacaattgat caatttgaac cgtgcgcttc agagaaaacg accggaatat 720

caaaaaagac aacacagggt catttttctc catgacaacg ctccatcaca tacggcaaga 780

gcggttcgcg acacgttgga aacactcaat tgggaagtgc ttccgcatgc ggcttactca 840

ccagacctgg ccccatccga ttaccaccta ttcgcttcga tgggacacgc actcgctgag 900

cagcgcttcg attcttacga aagtgtgaaa aaatggctcg atgaatggtt cgccgcaaaa 960

gacgatgagt tctactggcg tggaatccac aaattgcccg agagatggga aaaatgtgta 1020

gctagcgacg gcaaatactt tgaataaatg attttttc 1058

<210> 25

<211> 345
<212> PRT
<213> Drosophila mauritiana

<400> 25

```
Met Ser Ser Phe Val Pro Asn Lys Glu Gln Thr Arg Thr Val Leu Ile
1               5                  10                  15

Phe Cys Phe His Leu Lys Lys Thr Ala Ala Glu Ser His Arg Met Leu
            20                  25                  30

Val Glu Ala Phe Gly Glu Gln Val Pro Thr Val Lys Thr Cys Glu Arg
        35                  40                  45

Trp Phe Gln Arg Phe Lys Ser Gly Asp Phe Asp Val Asp Asp Lys Glu
    50                  55                  60

His Gly Lys Pro Pro Lys Arg Tyr Glu Asp Ala Glu Leu Gln Ala Leu
65                  70                  75                  80

Leu Asp Glu Asp Asp Ala Gln Thr Gln Lys Gln Leu Ala Glu Gln Leu
                85                  90                  95

Glu Val Ser Gln Gln Ala Val Ser Asn Arg Leu Arg Glu Met Gly Lys
            100                 105                 110

Ile Gln Lys Val Gly Arg Trp Val Pro His Glu Leu Asn Glu Arg Gln
        115                 120                 125

Met Glu Arg Arg Lys Asn Thr Cys Glu Ile Leu Leu Ser Arg Tyr Lys
    130                 135                 140

Arg Lys Ser Phe Leu His Arg Ile Val Thr Gly Asp Glu Lys Trp Ile
145                 150                 155                 160

Phe Phe Val Asn Pro Lys Arg Lys Lys Ser Tyr Val Asp Pro Gly Gln
                165                 170                 175

Pro Ala Thr Ser Thr Ala Arg Pro Asn Arg Phe Gly Lys Lys Thr Met
            180                 185                 190

Leu Cys Val Trp Trp Asp Gln Ser Gly Val Ile Tyr Tyr Glu Leu Leu
        195                 200                 205

Lys Pro Gly Glu Thr Val Asn Thr Ala Arg Tyr Gln Gln Gln Leu Ile
```

210 215 220

Asn Leu Asn Arg Ala Leu Gln Arg Lys Arg Pro Glu Tyr Gln Lys Arg
225 230 235 240

Gln His Arg Val Ile Phe Leu His Asp Asn Ala Pro Ser His Thr Ala
245 250 255

Arg Ala Val Arg Asp Thr Leu Glu Thr Leu Asn Trp Glu Val Leu Pro
260 265 270

His Ala Ala Tyr Ser Pro Asp Leu Ala Pro Ser Asp Tyr His Leu Phe
275 280 285

Ala Ser Met Gly His Ala Leu Ala Glu Gln Arg Phe Asp Ser Tyr Glu
290 295 300

Ser Val Lys Lys Trp Leu Asp Glu Trp Phe Ala Ala Lys Asp Asp Glu
305 310 315 320

Phe Tyr Trp Arg Gly Ile His Lys Leu Pro Glu Arg Trp Glu Lys Cys
325 330 335

Val Ala Ser Asp Gly Lys Tyr Phe Glu
340 345

<210> 26
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi1 insertion of Mos1 into C. Elegans genome

<400> 26
gtttagcgac gagtgacata ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttc tttttccaca aaatttaacg 1260

tgtttttga tttaaaaaaa acgacatttc atacttgtac acctgataat tctccgaaag 1320

cttcag 1326

<210> 27
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi2 insertion of Mos1 into C. Elegans genome

<400> 27
tcgataaata aattatttta ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttttc tttttccaca aaatttaacg 1260

tgtttttga tttaaaaaaa acgacatttc atacttgtac acctgataat tctatccaaa 1320

aatcgc 1326

<210> 28
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi3 insertion of Mos1 into C. Elegans genome

<400> 28
aaagtagtgg atgcgatata ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttttc ttttttccaca aaatttaacg 1260

tgtttttttga tttaaaaaaa acgacatttc atacttgtac acctgataat aagagaggcg 1320

aaggat 1326

<210> 29
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi4 insertion of Mos1 into C. Elegans genome

<400> 29
tcctcttttc cagacgagta ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttc ttttccaca aaatttaacg 1260

tgttttttga tttaaaaaaa acgacatttc atacttgtac acctgatata tccttttgtt 1320

ccttgc 1326

<210> 30
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi5 insertion of Mos1 into C. Elegans genome

<400> 30
gtcggacaat cagaagtgta ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttc tttttccaca aaatttaacg 1260

tgtttttga tttaaaaaaa acgacatttc atacttgtac acctgataag aactaaaagg 1320

acaccg 1326

<210> 31
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi6 insertion of Mos1 into C. Elegans genome

<400> 31
ttgaacaata aatactaata ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttc ttttccaca aaatttaacg 1260

tgtttttga tttaaaaaaa acgacatttc atacttgtac acctgatatt gttgtcctca 1320

agattt 1326

<210> 32
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi8 insertion of Mos1 into C. Elegans genome

<400> 32
gacgcaataa atccacaata ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttc ttttccacca aaatttaacg 1260

tgtttttga tttaaaaaaa acgacatttc atacttgtac acctgataat tttcccgact 1320

cttaca 1326

<210> 33
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi9 insertion of Mos1 into C. Elegans genome

<400> 33
ccctctccaa tagtctagta ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttc tttttccaca aaatttaacg 1260

tgttttttga tttaaaaaaa acgacatttc atacttgtac acctgataaa tgtcatcaga 1320

attcat 1326

<210> 34
<211> 1326
<212> DNA
<213> Artificial

<220>
<223> oxTi11 insertion of Mos1 into C. Elegans genome

<400> 34
accaaaagca aaaacactta ccaggtgtac aagtagggaa tgtcggttcg aacatataga 60

tgtctcgcaa acgtaaatat ttatcgattg tcataaaact ttgaccttgt gaagtgtcaa 120

ccttgactgt cgaaccacca tagtttggcg cgaattgagc gtcataattg tttactctca 180

gtgcagtcaa catgtcgagt ttcgtgccga ataaagagca aacgcggaca gtattaattt 240

tctgttttca tttgaagaaa acagctgcgg aatcgcaccg aatgcttgtt gaagcctttg 300

gcgaacaagt accaactgtg aaaacgtgtg aacggtggtt tcaacgcttc aaaagtggtg 360

attttgacgt cgacgacaaa gagcacggaa aaccgccaaa aaggtacgaa gacgccgaac 420

tgcaagcatt attggatgaa gacgatgctc aaacgcaaaa acaactcgca gagcagttgg 480

aagtaagtca acaagcagtt tccaatcgct tgcgagagat gggaaagatt cagaaggtcg 540

gtagatgggt gccacatgag ttgaacgaga ggcagatgga gaggcgcaaa aacacatgcg 600

aaattttgct ttcacgatac aaaaggaagt cgtttttgca tcgtatcgtt actggagatg 660

aaaaatggat ctttttttgtt aatcctaaac gtaaaaagtc atacgttgat cctggacaac 720

cggccacatc gactgctcga ccgaatcgct ttggcaagaa gacgatgctc tgtgtttggt 780

gggatcagag cggtgtcatt tactatgagc tcttgaaacc cggcgaaacg gtgaatacgg 840

cacgctacca acaacaattg atcaatttga accgtgcgct tcagagaaaa cgaccggaat 900

atcaaaaaag acaacacagg gtcatttttc tccatgacaa cgctccatca catacggcaa 960

gagcggttcg cgacacgttg gaaacactca attgggaagt gcttccgcat gcggcttact 1020

caccagacct ggccccatcc gattaccacc tattcgcttc gatgggacac gcactcgctg 1080

agcagcgctt cgattcttac gaaagtgtga aaaaatggct cgatgaatgg ttcgccgcaa 1140

aagacgatga gttctactgg cgtggaatcc acaaattgcc cgagagatgg gaaaaatgtg 1200

tagctagcga cggcaaatac tttgaataaa tgatttttttc tttttccaca aaatttaacg 1260

tgtttttttga tttaaaaaaa acgacatttc atacttgtac acctgataac caaatgatgg 1320

gtggca 1326

<210> 35
<211> 1322
<212> DNA
<213> Artificial

<220>
<223> oxTi4 insertion of Mos1

<400> 35
ctcttttcca gacgagtacc aggtgtacaa gtagggaatg tcggttcgaa catatagatg 60

tctcgcaaac gtaaatattt atcgattgtc ataaaacttt gaccttgtga agtgtcaacc 120

ttgactgtcg aaccaccata gtttggcgcg aattgagcgt cataattgtt tactctcagt 180

gcagtcaaca tgtcgagttt cgtgccgaat aaagagcaaa cgcggacagt attaattttc 240

tgttttcatt tgaagaaaac agctgcggaa tcgcaccgaa tgcttgttga agcctttggc 300

gaacaagtac caactgtgaa aacgtgtgaa cggtggtttc aacgcttcaa aagtggtgat 360

tttgacgtcg acgacaaaga gcacggaaaa ccgccaaaaa ggtacgaaga cgccgaactg 420

caagcattat tggatgaaga cgatgctcaa acgcaaaaac aactcgcaga gcagttggaa 480

gtaagtcaac aagcagtttc caatcgcttg cgagagatgg gaaagattca gaaggtcggt 540

agatgggtgc cacatgagtt gaacgagagg cagatggaga ggcgcaaaaa cacatgcgaa 600

attttgcttt cacgatacaa aaggaagtcg tttttgcatc gtatcgttac tggagatgaa 660

aaatggatct tttttgttaa tcctaaacgt aaaaagtcat acgttgatcc tggacaaccg 720

gccacatcga ctgctcgacc gaatcgcttt ggcaagaaga cgatgctctg tgtttggtgg 780

gatcagagcg gtgtcattta ctatgagctc ttgaaacccg gcgaaacggt gaatacggca 840

cgctaccaac aacaattgat caatttgaac cgtgcgcttc agagaaaacg accggaatat 900

caaaaaagac aacacagggt catttttctc catgacaacg ctccatcaca tacggcaaga 960

gcggttcgcg acacgttgga aacactcaat tgggaagtgc ttccgcatgc ggcttactca 1020

ccagacctgg ccccatccga ttaccaccta ttcgcttcga tgggacacgc actcgctgag 1080

cagcgcttcg attcttacga aagtgtgaaa aaatggctcg atgaatggtt cgccgcaaaa 1140

gacgatgagt tctactggcg tggaatccac aaattgcccg agagatggga aaaatgtgta 1200

gctagcgacg gcaaatactt tgaataaatg atttttttctt tttccacaaa atttaacgtg 1260

tttttttgatt taaaaaaaac gacatttcat acttgtacac ctgatatatc cttttgttcc 1320

tt 1322

<210> 36
<211> 36
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 36
ctcttttcca gacgagtata tatccttttg ttcctt 36

<210> 37
<211> 37
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 37
ctcttttcca gacgagtaat atatcctttt gttcctt 37

<210> 38
<211> 39
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 38
ctcttttcca gacgagtatg atatatcctt ttgttcctt 39

<210> 39
<211> 37
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 39
ctcttttcca gacgagtact atatcctttt gttcctt 37

<210> 40
<211> 21
<212> DNA
<213> Artificial

<220>

<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 40
tgatatatcc ttttgttcct t 21

<210> 41
<211> 17
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 41
ctcttttcca gacgaga 17

<210> 42
<211> 18
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 42
ctcttttcca gacgagta 18

<210> 43
<211> 66
<212> DNA
<213> Artificial

<220>
<223> lesion generated after removal of Mos1 in oxTi4 insertion

<400> 43
ctcttttcca gacgagtaat tgtttactct cagtgcagtc aacatgtcga tatccttttg 60

ttcctt 66